


Applied Optics

APPLICATIONS-CENTERED RESEARCH IN OPTICS



Highly stable graphene-assisted tunable dual-wavelength erbium-doped fiber laser

Harith Ahmad, Amirah Abdul Latif, Muhammad Imran Mustafa Abdul Khudus, Ahmad Zarif Zulkifli, Mohd. Zamani Zulkifli, Kavintheran Thambiratnam, and Sulaiman Wadi Harun [»View Author Affiliations](#)

Applied Optics, Vol. 52, Issue 4, pp. 818-823 (2013)
<http://dx.doi.org/10.1364/AO.52.000818>

View Full Text Article



[Enhanced HTML](#)



[Acrobat PDF \(539 KB\)](#)

- [Abstract](#)
- [Article Info](#)
- [References \(20\)](#)
- [Cited By](#)
- [Figures \(4\)](#)
- [Metrics](#)
- [Related Content](#)

Abstract

A highly stable tunable dual-wavelength fiber laser (TDWFL) using graphene as a means to generate a highly stable output is proposed and generated. The TDWFL comprises a 1 m long, highly doped erbium-doped fiber (EDF) acting as the linear gain medium, with a 24-channel arrayed waveguide grating acting as a wavelength slicer as well as a tuning mechanism to generate different wavelength pairs. The tuned wavelength pairs can range from 0.8 to 18.2 nm. A few layers of graphene are incorporated into the laser cavity to induce the four-wave-mixing effect, which stabilizes the dual-wavelength output by suppressing the mode competition that arises as a result of homogenous broadening in the EDF.

© 2013 Optical Society of America

OCIS Codes

[\(060.2320\)](#) Fiber optics and optical communications : Fiber optics amplifiers and oscillators

[\(160.4670\)](#) Materials : Optical materials

[\(190.4380\)](#) Nonlinear optics : Nonlinear optics, four-wave mixing

ToC Category:

Fiber Optics and Optical Communications

History

Original Manuscript: October 19, 2012

Revised Manuscript: December 14, 2012

Manuscript Accepted: December 14, 2012

Published: February 1, 2013

Citation

Harith Ahmad, Amirah Abdul Latif, Muhammad Imran Mustafa Abdul Khudus, Ahmad Zarif Zulkifli, Mohd. Zamani Zulkifli, Kavintheran Thambiratnam, and Sulaiman Wadi Harun, "Highly stable graphene-assisted tunable dual-wavelength erbium-doped fiber laser," Appl. Opt. **52**, 818-823 (2013)

<http://www.opticsinfobase.org/ao/abstract.cfm?URI=ao-52-4-818>

You do not have subscription access to this journal. Citation lists with outbound citation links are available to subscribers only. You may subscribe either as an OSA member, or as an authorized user of your institution.

Contact your librarian or system administrator

or

[Log in to access OSA Member Subscription](#)

You do not have subscription access to this journal. Cited by links are available to subscribers only. You may subscribe either as an OSA member, or as an authorized user of your institution.

Contact your librarian or system administrator

or

[Log in to access OSA Member Subscription](#)

You do not have subscription access to this journal. Figure files are available to subscribers only. You may subscribe either as an OSA member, or as an authorized user of your institution.

Contact your librarian or system administrator

or

[Log in to access OSA Member Subscription](#)

You do not have subscription access to this journal. Article level metrics are available to subscribers only. You may subscribe either as an OSA member, or as an authorized user of your institution.

Contact your librarian or system administrator

or

[Log in to access OSA Member Subscription](#)


Related Journal Articles 

- [Four-wave mixing in fibers with randomly varying zero-dispersion wavelength \(JOSAB\)](#)
- [Pulsed degenerate optical parametric oscillator based on a nonlinear-fiber Sagnac interferometer \(OL\)](#)
- [Tunable fiber-optic parametric oscillator \(OL\)](#)
- [Observation of twin-beam-type quantum correlation in optical fiber \(OL\)](#)
- [Four-wave mixing in microstructure fiber \(OL\)](#)

Related Conference Papers 

- [Influence of the phase modulation of the pump wave in fiber optical parametric amplifiers](#)
- [Silica-Based Bismuth-Doped Fiber for Ultra Broad Band Light Source and Optical Amplification around at 1.1mm](#)
- [Phase-Sensitive Amplification Produced by Degenerate Four-Wave Mixing in a Fiber](#)
- [All-fiber continuous-wave parametric oscillator based on holey fiber](#)
- [Experimental Study on Crosstalk in Double-Pumped Fiber Optic Parametric Amplifier](#)

[« Previous Article](#) | [Next Article »](#)

 OSA is a member of [CrossRef](#).



© Copyright 2013 The Optical Society
All Rights Reserved | [Privacy Statement](#) | [Terms of Use](#)
[RSS](#)